
(650) 326-2400

Applicant: Hiromitsu KATO, et al.

Titl: Service Executing Method and Service Providing System

Atty D ck t No. 16869P-097400US

Sh et 1 of 12




Applicant: Hiromitsu KATO, et al.

Titl: Service Executing Method and Service Providing System

Atty D ck t No. 16869P-097400US

She t 2 of 12



(650) 326-2400


Applicant: Hiromitsu KATO, et al.

Title: Service Executing Method and Service Providing System

Atty D ck t N . 16869P-097400US

She t 3 of 12

FIG.3



(650) 326-2400


Applicant: Hiromitsu KATO, et al.

Titl: Service Executing Method and Service Providing System

Atty Dock t N . 16869P-097400US

Sh t 4 f 12

FIG.4



(650) 326-2400


Applicant: Hiromitsu KATO, et al.


Titl: Service Executing Method and Service Providing System

Atty Dock t N . 16869P-097400US

Sheet 5 of 12

FIG.5





(650) 326-2400

Applicant: Hiromitsu KATO, et al.

Titl: Service Executing Method and Service Providing System

Atty D cket No. 16869P-097400US

Sh t 6 f 12

FIG.7

/01 / Node info	702	703	704
Node ID	Function type	Function selection condition	Node configuration information
1	Numerical input	User's selection	
2	Contents connecting program		Download to Node 4
3	Audio input	Both Px-Pu b	
4	Visual output	Min Px-Pu	· · · · · · · · · · · · · · · · · · ·

Connec	tion information ʃ	706 707	708
Link ID	Origin node ID	Destination node ID	Link configuration information
1	1	2	value −> channel
2	2	3	audio_stream -> input
3	2	4	visual_stream -> input

8	801 80	2 803	3 804	80	5 806	807
Device name	Address	Position	Right to use	Serial number	Function type	Attribute
Microphone	1.2.3.4	(x1,y1)		1	Audio input	_
Display	1.2.3.5	(x2,y2)		2	Visual output	Resolution: 640×480
Speaker	1.2.3.6	(x3,y3)	·	3	Audio output	Output=50W
				4	Numerical input	-
Portable terminal	1.2.3.7	(x4,y4)	User_1	5	Visual output	Resolution: 120×160
				6	Audio output	Output=1W

(650) 326-2400


Applicant: Hiromitsu KATO, et al.

Title: Service Executing Method and Service Providing System

Atty Docket N . 16869P-097400US

Sh et 7 of 12

FIG.9



(650) 326-2400

Applicant: Hiromitsu KATO, et al.

Titl: Service Executing Method and Service Providing System

Atty Docket No. 16869P-097400US

She t 8 of 12





FIG.11




(650) 326-2400

Applicant: Hiromitsu KATO, et al.

Title: Service Executing Method and Service Providing System

Atty D ck t N . 16869P-097400US

Sh t 9 of 12




(650) 326-2400

Applicant: Hiromitsu KATO, et al.

Title: Service Executing Method and Service Providing System

Atty Docket N . 16869P-097400US

Sh t 10 of 12




(650) 326-2400

Applicant: Hiromitsu KATO, et al.

Titl: Service Executing Method and Service Providing System

Atty D cket No. 16869P-097400US

Sh t 11 of 12



(650) 326-2400

Applicant: Hiromitsu KATO, et al.

Title: Service Executing Method and Service Providing System

Atty Dock t No. 16869P-097400US

Sh et 12 f 12

